

L Number	Hits	Search Text	DB	Time stamp
-	7162	data near registration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 13:26
-	3302	5.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 13:30
-	0	5.ab. and metadata	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 13:27
-	3	5.ab. and 709/.ccls. and 707/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 13:27
-	47	5.ab. and (data near type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 13:31
-	24	5.ab. and (data near type) and @ad<19990324	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 14:40
-	949	(data and metadata).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 09:34
-	327	((data and metadata).ab.) and @ad<20000323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 10:38
-	15	(name and value and metadata).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 15:26
-	11	(metadata near name) and (metadata near value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 10:19
-	61	((data near name) and (data near value)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:16
-	1557	metadata.ab. and ad<20000322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 10:20
-	721	metadata.ab. and ad<20000322	USPAT; US-PGPUB	2003/12/03 10:20
-	251	metadata.ab. and ad<20000322	USPAT	2003/12/03 10:21
-	251	metadata.ab. and fd<19990323	USPAT	2003/12/03 10:22
-	60	metadata.ab. and fd<20000322 and 709/.ccls.	USPAT	2003/12/03 11:34
-	1	(detection and characterization and open and space and digital and images).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:51

-	13750	(detect\$ and type and image).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:27
-	13645	(detect\$ and type and image).ab. and @ad<199903023	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:25
-	3	(detect\$ and type and image).ab. and @ad<199903023 and 709/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:26
-	79	(detect\$ near image near type).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:28
-	79	(detect\$ near image near type).ab. and ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:06
-	234	(detect\$ near image near type) and ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:47
-	178	(detect\$ near image near type) and ad<19990323 not (Planar near Laser near Illumination)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:00
-	178	((detect\$ near image near type) not (Planar near Laser near Illumination))and ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:06
-	2	(header near type near packet)same (application or advantage or objective)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:09
-	4490	(image near type)same (application or advantage or objective)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:09
-	4490	((image near type) same (application or advantage or objective)) and fd<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:11
-	8381	data near classif\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:06
-	5520	data near classif\$ and @ad<199903023	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:06
-	429	data near classif\$ and @ad<199903023 and (709/.ccls. or 707/.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:08

-	8381	(data near classif\$).ab and @ad<19993023 and (709/.ccls. or 707/.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 11:09
-	40	(data near classif\$).ab. and @ad<19993023 and (709/.ccls. or 707/.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 13:04
-	1019	detect same data same type same (database or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 15:24
-	366	(detect same data same type same (database or server)) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 15:24
-	50	1.ab. and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 15:12
-	132	detect same image same type same (database or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 13:24
-	53	detect same image same type same (database or server) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 13:24
-	301	detect same data same type same (database or server) and header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 15:24
-	103	(detect same data same type same (database or server)) and @ad<19990323 and header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 15:25
-	104	1.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 09:13
-	874	metadata same data same (sav\$ or stor\$ or register\$) same (application or motivation or objective)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 14:10
-	215	metadata near (name or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 14:15
-	30	(metadata near (name or value)) same (identical or 'same')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 14:16
-	10	((metadata near (name or value)) same (identical or 'same')) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 15:37

-	0	(detect near data near type) same ((notify or inform) near user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 15:38
-	68	detect near data near type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 15:39
-	24838	(notify or inform) near user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 15:41
-	4	(detect near data near type and @ad<19990323) and ((notify or inform) near user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 16:04
-	12634	monitor near data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 16:05
-	3353	(monitor near data).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 16:05
-	2524	(monitor near data).ab. and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 16:06
-	840	xml same (data near type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 16:07
-	0	xml same (data near type) same detect\$ and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 16:07
-	13	xml same (data near type) same detect\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 16:08
-	21	xml same (data near type)and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 16:10
-	4	xml same (data near type)and @ad<19990323 and detect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 16:11
-	51	detect near data near type and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:16
-	1553	(data near type) same (alarm or notif\$ or alert\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:17

-	776	(data near type) same (alarm or notif\$ or alert\$) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:18
-	71	((data near type) same (alarm or notif\$ or alert\$)).ab. and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:19
-	0	((detect near data near type) same (alarm or notif\$ or alert\$)).ab. and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:19
-	4	((detect near data near type) same (alarm or notif\$ or alert\$)) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:24
-	4	((detect near data near (type or class)) same (alarm or notif\$ or alert\$)) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:24
-	6	((detect\$ near data near (type or class)) same (alarm or notif\$ or alert\$)) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 11:08
-	59	((detect\$ near data near (type or class)) and (alarm or notif\$ or alert\$)) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 11:10
-	5	((detect\$ near data near (type or class)) and (alarm or notif\$ or alert\$)) and @ad<19990323 and metadata	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:33
-	26334	document same structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:34
-	838	document same structure and metadata	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:34
-	116	document same structure and metadata and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:36
-	28	document same structure same metadata and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:47
-	351	metadata near structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:48
-	5	(metadata near structure).ab. and @ad<19993023	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:53

-	3477	((web or internet or www) and metadata).ab	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:54
-	3477	((web or internet or www) and metadata).ab and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:55
-	30	((web or internet or www) and metadata).ab. and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:56
-	1	((web or internet or www) and (metadata same structure)).ab. and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:57
-	59	((detect\$ near data near (type or class)) and (alarm or notif\$ or alert\$)) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:19
-	12	((detect\$ near data near (type or class)) and (alarm or notif\$ or alert\$)) and @ad<19990323 and (709/.ccls. or 707/.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:29
-	47	((detect\$ near data near (type or class)) and (alarm or notif\$ or alert\$)) and @ad<19990323 not (((detect\$ near data near (type or class)) and (alarm or notif\$ or alert\$)) and @ad<19990323 and (709/.ccls. or 707/.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:43
-	23	(metadata near structure).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:29
-	77	(metadata near structure) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:31
-	17	(structured near document) and metadata and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 14:00
-	267	sgml and metadata	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 14:01
-	28	sgml and metadata and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 14:40
-	46	(generat\$ same metadata) and (structured near document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 14:41
-	7	(generat\$ same metadata) and (structured near document) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 15:11

-	1	5970490.pn. and (meta\$ near structur\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 15:37
-	86	(metadata near structur\$) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 16:39
-	1426	metadata same structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 16:40
-	305	metadata same structure and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 16:40
-	81	(metadata same structure and @ad<19990323) and (xml or html or sgml)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 16:50
-	3	(metadata and directory and service).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 16:51
-	0	((metadata and directory and service).ti.) and (metadata same structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 16:52
-	0	((metadata and directory and service).ti.) and (document same structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 17:35
-	11	((xml or html or sgml) and metadata and structure).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/16 11:01
-	5	((xml or html or sgml) and metadata and structure).ab.) and ((xml or html or sgml) same (metadata same structure))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/16 12:32
-	15183	(document or information) near structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/16 12:32
-	114	((document or information) near structure) same metadata	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/16 12:33
-	16	((document or information) near structure) same metadata) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/16 13:24
-	645	xml same metadata	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/16 14:03

-	12	xml same metadata and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:19
-	559	directory same metadata	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:56
-	135	(directory same metadata) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 09:58
-	10	(directory same metadata) and @ad<19990323 and ((add near data) or(delete near data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 09:59
-	1	(directory same metadata) and @ad<19990323 and ((add near data) and(delet\$ near data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 09:34
-	37	(directory same metadata) and @ad<19990323 and ((add same data) and(delet\$ same data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 09:31
-	19	(directory same (meta-data or metadata)) and @ad<19990323 and ((add near data) or(delete near data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 09:36
-	10	(directory same metadata) and @ad<19990323 and ((add near data) or(delete near data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 10:54
-	9	((directory same (meta-data or metadata)) and @ad<19990323 and ((add near data) or(delete near data))) not ((directory same metadata) and @ad<19990323 and ((add near data) or(delete near data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 09:52
-	3	(metadata and directory and service).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 09:54
-	166	(directory same (metadata or meta-data)) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 10:00
-	156	((directory same (metadata or meta-data)) and @ad<19990323) not ((directory same metadata) and @ad<19990323 and ((add near data) or(delete near data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 10:00
-	114	directory near (metadata or meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:47
-	35	directory near (metadata or meta-data) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:15

-	68	detect near data near type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:19
-	51	(detect near data near type) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:38
-	46864	(data near regist\$) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 09:18
-	18901	(data near regist\$).ab. and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 09:20
-	10842	(data near regist\$) and @ad<19990323 and procedure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 13:14
-	229	(data near regist\$) and (data near type) and (detect near data) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 13:20
-	13	(data near registration) and (data near type) and (detect near data) and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 14:14
-	23	unknown near data near type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 14:16
-	17	unknown near data near type and @ad<19990323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 14:41